

# ACTA MEDICINAE 7/2013 Kompletní literatura

## VNITŘNÍ LÉKAŘSTVÍ

- 2 **Antihypertenzní léčba v primární a sekundární prevenci cévních mozkových příhod**  
prof. MUDr. Jan Filipovský, CSc. II. interní klinika LF UK a FN Plzeň
- 2 **Léčba pacienta s metabolickým syndromem**  
doc. MUDr. Michal Vrablík, Ph.D. III. interní klinika – klinika endokrinologie a metabolismu 1. LF UK a FN Praha
- 3 **Klinická výživa a metabolická péče**  
prof. MUDr. Luboš Sobotka, CSc. III. interní gerontometabolická klinika, LF UK a FN, Hradec Králové
- 3 **Antikoagulační léčba u nemocných s fibrilací síní**  
MUDr. Kateřina Lefflerová, CSc. Klinika kardiologie IKEM
- 4 **Diabetes mellitus 2. typu: současné možnosti léčby**  
prof. MUDr. Martin Haluzík, DrSc. | MUDr. Pavel Trachta III. interní klinika 1. LF UK a VFN, Praha
- 4 **Syndrom diabetické nohy**  
MUDr. Pavlína Piřhová | prof. MUDr. Milan Kvapil, CSc. Interní klinika 2. LF UK a FN v Motole
- 4 **Sledování štítné žlázy u těhotných žen**  
doc. MUDr. Zdenka Límanová, CSc. III. interní klinika – klinika endokrinologie a metabolismu 1. LF UK a VFN Praha
- 5 **Novinky ve farmakoterapii bolesti**  
MUDr. Jan Lejčko Centrum léčby bolesti, ARK, FN Plzeň
- 5 **Tapentadol**  
MUDr. Jiří Slíva, Ph.D. Ústavy farmakologie 2. a 3. LF UK, Praha
- 6 **Novinky v léčbě chronické hepatitidy C**  
prof. MUDr. Petr Husa, CSc. Klinika infekčních chorob Lékařské fakulty Masarykovy univerzity a FN Brno
- 6 **Příprava nemocných k chirurgickým výkonům, předcházení a léčba krvácení**  
prof. MUDr. Miroslav Penka, CSc. Oddělení klinické hematologie FN Brno
- 7 **Konzervativní a chirurgická léčba Crohnovy nemoci**  
MUDr. Zuzana Šerclová Chirurgická klinika 2. LF UK a ÚVN  
Ústřední vojenské nemocnice – Vojenské fakultní nemocnice Praha
- 7 **Novinky v diagnostice a léčbě potravinových alergií**  
MUDr. Martin Fuchs Immunoflow, s. r. o., Praha
- 8 **Myokarditidy**  
MUDr. Mária Holická | prof. MUDr. Jindřich Špinar, CSc. Interní kardiologická klinika Lékařské fakulty MU a FN Brno
- 10 **Primární myelofibróza – nové možnosti terapie**  
MUDr. Libor Červínek | prof. MUDr. Michael Doubek, Ph.D. Interní hematologická a onkologická klinika LF MU
- 10 **Péče o pacienta závislého na opiátech v primární péči**  
MUDr. Josef Štolfa Katedra všeobecného lékařství IPVZ, Výukové pracoviště praktického lékařství 2. LF UK

# Antihypertenzní léčba v primární a sekundární prevenci cévních mozkových příhod

prof. MUDr. Jan Filipovský, CSc. II. interní klinika LF UK a FN Plzeň

- 1 Chalmers, J. – Beilin, L. – Mancina, G., et al.: International Society of Hypertension: statements on blood pressure and stroke. *J Hypertension*, 2003, 21, s. 649–650.
- 2 Wright, J. M. – Musini, V. M.: First-line drugs for hypertension. *Cochrane Database of Systematic Reviews*, 2009, 3, Art. No.: CD001841, doi: 10.1002/14651858.CD001841, pub 2.
- 3 Beckett, N. S. – Peters, R. – Fletcher, A. E., et al.: Treatment of hypertension in patients 80 years of age or older. *N Engl J Med*, 2008, 358, s. 1–12.
- 4 PROGRESS Collaborative Group. Randomised trial of a perindopril-based blood-pressure-lowering regimen among 6105 individuals with previous stroke or transient ischaemic attack. *Lancet*, 2001, 358, s. 1033–1041.
- 5 Arima, H. – Chalmers, J. – Woodward, M., et al.: Lower target blood pressures are safe and effective for the prevention of recurrent stroke: the PROGRESS trial. *J Hypertension*, 2006, 24, s. 1201–1208.
- 6 Yusuf, S. – Diener, H. C. – Sacco, R. L., et al.: Telmisartan to prevent recurrent stroke and cardiovascular events. *NEJM*, 2008, 359, s. 1225–1237.
- 7 Sandset, E. C. – Bath, P. M. – Bosen, G., et al.: The angiotensin-receptor blocker candesartan for treatment of acute stroke (SCAST): a randomised, placebo-controlled, double-blind trial. *Lancet*, 2011, 377, s. 741–750.
- 8 Filipovský, J. – Widimský, J. Jr. – Ceral, J. – Cífková, R. – Horký, K. – Linhart, A. – Monhart, V. – Rosolová, H. – Seidlerová, J. – Souček, M. – Špinar, J. – Vítovec, J. – Widimský, J.: Diagnostické a léčebné postupy u arteriální hypertenze – verze 2012. Doporučení České společnosti pro hypertenzi. *Vnitř Léč*, 2012, 58, s. 785–801.

## Léčba pacienta s metabolickým syndromem

doc. MUDr. Michal Vrablík, Ph.D.

III. interní klinika – klinika endokrinologie a metabolismu 1. LF UK a FN Praha

- 1 Stern, M. P. – Williams, K. – Gonzalez-Villalpando, C. – Hunt, K. J. – Haffner, S. M.: Does the metabolic syndrome improve identification of individuals at risk of type 2 diabetes and/or cardiovascular disease? *Diab Care*, 2004, 27, s. 2676–2681.
- 2 Grundy, S.: Metabolic syndrome: connecting and reconciling cardiovascular and diabetes worlds. *J Am Coll Cardiol*, 2006, 47, s. 1093–1100.
- 3 Ervin, R. B.: Prevalence of metabolic syndrome among adults 20 years of age and over, by sex, age, race and ethnicity, and body mass index: United States, 2003–2006. *Natl Health Stat Report*, 2009, 13, s. 1–7.
- 4 Cífková, R. – Škodová, Z. – Bruthans, J., et al.: Longitudinal trends in cardiovascular risk factors in the Czech population between 1985 and 2007/8. Czech MONICA and Czech post-MONICA. *Atherosclerosis*, 2010, 211, s. 676–681.
- 5 Alberti, K. – Zimmet, P. Z.: Definition, diagnosis and classification of diabetes mellitus and its complications. Part 1: Diagnosis and classification of diabetes mellitus provisional report of a WHO consultation. *Diabet Med*, 1998, 15, s. 539–553.
- 6 Balkau, B. – Charles, M. A.: Comment on the provisional report from the WHO consultation. European Group for the Study of Insulin Resistance (EGIR). *Diabet Med*, 1999, 16, s. 442–443.
- 7 Adult Treatment Panel III: Executive summary of the third report of the national cholesterol education program (NCEP) expert panel on detection, evaluation, and treatment of high blood cholesterol in adults. *JAMA*, 2001, 285, s. 2486–2497.
- 8 Alberti, K. – Zimmet, P. – Shaw, J.: IDF Epidemiology Task Force Consensus Group. The metabolic syndrome—a new worldwide definition. *Lancet*, 2005, 366, s. 1059–1062.
- 9 Grundy, S. – Cleeman, J. I. – Daniels, S. R., et al.: Diagnosis and management of the metabolic syndrome. An American Heart Association/National Heart, Lung, and Blood Institute Scientific Statement. *Curr Opin Cardiol*, 2006, 21, s. 1–6.
- 10 Karen, I. – Souček, M. – Bláha, V., et al.: *Metabolický syndrom – diagnostika a léčba. Doporučený diagnostický a léčebný postup pro všeobecné praktické lékaře*. Novelizace 2010. Praha, Společnost všeobecného lékařství, 2010.
- 11 Catapano, A. L. – Reiner, Z. – De Backer, G., et al.: ESC/EAS Guidelines for the management of dyslipidaemias. *Atherosclerosis*, 2011, 217, s. 3–46.
- 12 S. Department of Agricultural, U.S. Department of Health and Human Services 2010: *Dietary guideline for Americans 2010*, dostupné z: <http://www.cnpp.usda.gov/Publications/DietaryGuidelines/2010/PolicyDoc/PolicyDoc.pdf>, vyhledáno 24. 6. 2013.
- 13 National Institutes of Health: Clinical guidelines on the identification, evaluation, and treatment of overweight and obesity in adults. The evidence report. *J Am Diet Assoc*, 1998, 98, s. 1115–1117.
- 14 Foreyt, J.: Need for lifestyle intervention: how to begin. *Am J Cardiol*, 2005, 96, s. 11E–14E.
- 15 Perk, J. – Backer, G. D. – Gohlke, H., et al.: European Guidelines on cardiovascular disease prevention in clinical practice (version 2012). *Eur J Prev Cardiol*, 2012, 19, s. 585–667.
- 16 Torgerson, J. – Hauptman, J. – Boldrin, M. N., et al.: Xenical in the prevention of diabetes in obese subjects (XENDOS) study: a randomized study of orlistat as an adjunct to lifestyle changes for the prevention of type 2 diabetes in obese patients. *Diab Care*, 2004, 27, s. 155–161.
- 17 Sucharda, P.: *Metabolická chirurgie v léčbě diabetu*. In: Haluzík, M., et al.: *Praktická léčba diabetu*. Praha, Mladá fronta, 2009.
- 18 Ridker, P. – Pradhan, A. – MacFayden, J. G., et al.: Cardiovascular benefits and diabetes risks of statin therapy in primary prevention: an analysis from the JUPITER trial. *Lancet*, 2012, 380, s. 565–571.
- 19 Ginsberg, H. N. – Elam, M. B. – Lovato, L. C., et al.: ACCORD Study Group. Effects of combination lipid therapy in type 2 diabetes mellitus. *N Engl J Med*, 2010, 362, s. 1563–1574.
- 20 Wright, A. D. – Dodson, P. M.: Medical management of diabetic retinopathy: fenofibrate and ACCORD Eye studies. *Eye (Lond)*, 2011, 25, s. 843–849.
- 21 Simons, L. – Tonkon, M. – Masana, L.: Effects of ezetimibe added to ongoing statin therapy on the lipid profile of hypercholesterolemic patients with diabetes mellitus or metabolic syndrome. *Curr Med Res Opin*, 2004, 20, s. 1437–1445.
- 22 Tamaki, N. – Ueno, H. – Morinaga, Y., et al.: Ezetimibe ameliorates atherosclerosis and inflammatory markers, atherogenic lipid profiles, insulin sensitivity, and liver dysfunction in Japanese patients with hypercholesterolemia. *J Atheroscler Thromb*, 2012, 19, s. 532–538.

- 23 Soška, V. – Vaverková, H. – Vrablík, M., et al.: stanovisko výboru ČSAT k doporučením ESC/EAS pro diagnostiku a léčbu dyslipidemií z roku 2011. *DMEV*, 2013, 16, s. 24–29.
- 24 Mancia, G. – Fagard, E. – Narkiewicz, K., et al.: 2013 guidelines for the management of arterial hypertension. *Eur Heart J*, 2013, epub: doi:10.1093/eurheartj/eh151.
- 25 Filipovský, J. – Widimský, J. Jr. – Ceral, R., et al.: Doporučení diagnostických a léčebných postupů u arteriální hypertenze – verze 2012. Doporučení České společnosti pro hypertenzi. *Hypertenze KV prevence*, 2012, 1, s. 1–16.
- 26 Knowler, W. – Barrett-Conner, E. – Fowler, S. E., et al.: Diabetes prevention program research group. Reduction in the incidence of type 2 diabetes with lifestyle intervention or metformin. *N Engl J Med*, 2002, 346, s. 393–403.

## Klinická výživa a metabolická péče

prof. MUDr. Luboš Sobotka, CSc. III. interní gerontometabolická klinika, LF UK a FN, Hradec Králové

- 1 Sobotka, L.: *Basics in Clinical Nutrition*. Galen, Praha, 2011.

## Antikoagulační léčba u nemocných s fibrilací síní

MUDr. Kateřina Lefflerová, CSc. Klinika kardiologie IKEM

- 1 Andersen, K. K. – Olsen, T. S. – Dehlendorff, C., et al.: Hemorrhagic and ischemic strokes compared: stroke severity, mortality, and risk factors. *Stroke*, 2009, 40, s. 2068–2072.
- 2 Nieuwlaat, R. – Capucci, A. – Lip, G. Y. H., et al.: Antithrombotic treatment in real-life atrial fibrillation patients: a report from the Euro Heart Survey on Atrial Fibrillation. *Eur Heart J*, 2006, 27, s. 3018–3026.
- 3 Lip, G. Y. H. – Nieuwlaat, R. – Pisters, R., et al.: Refining clinical risk stratification for predicting stroke and thromboembolism in atrial fibrillation using a novel risk factor based approach: The Euro Heart Survey on Atrial Fibrillation. *Chest*, 2010, 137, s. 263–272.
- 4 Camm, A. J. – Kirchhof, P. – Lip, G. Y. H., et al.: Guidelines for the management of atrial fibrillation. The Task Force for the Management of Atrial fibrillation of the European Society of Cardiology (ESC). *Eur Heart J*, 2010, 31, s. 2369–2429.
- 5 Čihák, R. – Heinc, P. – Haman, L., et al.: Doporučené postupy u pacientů s fibrilací síní. *CorVasa*, 2011, 53, s. 27–52.
- 6 Camm, A. J. – Lip, G. Y. H. – De Caterina, R., et al.: 2012 focused update of ESC Guidelines for the management of atrial fibrillation. *Eur Heart J*, 2012, 33, s. 2719–2747.
- 7 Čihák, R. – Heinz, P. – Haman, L.: Souhrn Aktualizace doporučených postupů ESC pro léčbu fibrilace síní z roku 2012. *CorVasa*, 2012, 54, s. 532–541.
- 8 Olesen, J. B. – Lip, G. Y. H. – Lindhardsen, J., et al.: Risks of thromboembolism and bleeding with thromboprophylaxis in patients with atrial fibrillation: A net clinical benefit analysis using a „real world“ nationwide cohort study. *Thromb Haemost*, 2011, 106, s. 739–749.
- 9 Pisters, R. – Lane, D. A. – Nieuwlaat, R., et al.: A novel user-friendly score (HAS-BLED) to assess one-year risk of major bleeding in atrial fibrillation patients: The Euro Heart Survey. *Chest*, 2010, 138, s. 1093–1100.
- 10 Lip, G. Y. H. – Frison, L. – Halperin, J. L., et al.: Identifying patients in high risk for stroke despite anticoagulation. A comparison of contemporary stroke risk stratification schemes in an anticoagulated atrial fibrillation cohort. *Stroke*, 2010, 41, s. 2731–2738.
- 11 Lip, G. Y. H. – Frison, L. – Halperin, J. L., et al.: Comparative validation of a novel risk score for predicting bleeding risk in anticoagulated patients with atrial fibrillation. The HAS-BLED (Hypertension, Abnormal renal/liver function, stroke, bleeding history or predisposition, Labile INR, Elderly, Drugs/alkohol concomitantly) Score. *J Am Coll Cardiol*, 2011, 57, s. 173–180.
- 12 Friberg, L. – Rosenqvist, M. – Lip, G. Y. H.: Evaluation of risk stratification schemes for ischemic stroke and bleeding in 182,678 patients with atrial fibrillation: The Swedish Atrial Fibrillation cohort study. *Eur Heart J*, 2012, 33, s. 1500–1510.
- 13 Coppens, M. – Eikelboom, J. W. – Hart, R. G., et al.: The CHA<sub>2</sub>DS<sub>2</sub>-VASc score identifies those patients with atrial fibrillation and a CHADS<sub>2</sub> score of 1 who are unlikely to benefit from oral anticoagulant therapy. *Eur Heart J*, 2013, 34, s. 170–176.
- 14 Weitz, I. J. – Hirsh, J. – Samama, M. M.: New antithrombotic drugs\*: American College of Chest Physicians Evidence—Based Clinical Practice Guidelines (8<sup>th</sup> edition). *Chest*, 2008, 133, s. 234S–246S.
- 15 Schirmer, S. H. – Baumhackel, M. – Neuberger, H. R., et al.: Novel anticoagulants for stroke prevention in atrial fibrillation. *J Am Coll Cardiol*, 2010, 56, s. 2067–2076.
- 16 Čihák, R.: Nová doporučení pro léčbu pacientů s fibrilací síní: evropská guidelines 2010 a americká update 2011. *Postgraduální medicína*, 2011, 13, s. 8–12.
- 17 Connolly, S. J. – Ezekowitz, M. D. – Yusuf, S., et al.: Dabigatran versus warfarin in patients with atrial fibrillation. *N Engl J Med*, 2009, 361, s. 1139–1151.
- 18 Patel, M. R. – Mahaffey, K. W. – Garg, J., et al.: Rivaroxaban versus warfarin in nonvalvular atrial fibrillation. *N Engl J Med*, 2011, 365, s. 883–891.
- 19 Connolly, S. J. – Eikelboom, J. W. – Joyner, C., et al.: Apixaban in patients with atrial fibrillation. *N Engl J Med*, 2011, 364, s. 806–817.
- 20 Granger, C. B. – Alexander, J. H. – McMurray, J. J. V., et al.: Apixaban versus warfarin in patients with atrial fibrillation. *N Engl J Med*, 2011, 365, s. 981–992.
- 21 Ruff, C. T. – Giugliano, R. P. – Antman, E. M., et al.: Evaluation of the novel factor Xa inhibitor edoxaban compared with warfarin in patients with atrial fibrillation: design and rationale for the Effective aNticoagulation with factor xA next Generation in Atrial Fibrillation-Thrombolysis In Myocardial Infarction study 48 (ENGAGE AF-TIMI 48). *Am Heart J*, 2010, 160, s. 635–641.
- 22 De Caterina, R. – Husted, S. – Wallentin, L., et al.: New oral anticoagulants in atrial fibrillation and acute coronary syndromes. *J Am Coll Cardiol*, 2012, 59, s. 1413–1425.
- 23 Kaatz, S. – Kouides, P. A. – Garcia, D. A., et al.: Guidance of the emergent reversal of oral thrombin and factor Xa inhibitors. *Am J Hematol*, 2012, 87, s. 141–145.
- 24 Kim, J. S. – Jongnarangsin, K. – Chugh, A., et al.: Dabigatran vs warfarin for radiofrequency catheter ablation of atrial fibrillation. *Heart Rhythm*, 2012, doi: pii: S1547-5271(12)01445-2.10.1016/j.hrthm.2012.12.011 [Epub před tiskem].
- 25 Nagarakanti, R. – Ezekowitz, M. D. – Oldgren, J., et al.: Dabigatran versus warfarin in patients with atrial fibrillation. An analysis of patients undergoing cardioversion. *Circulation*, 2011, 123, s. 131–136.

- 26 Lip, G. Y. H. – Huber, K. – Andreotti, F., et al.: Antithrombotic management of atrial fibrillation patients presenting with acute coronary syndrome and/or undergoing coronary stenting: executive summary—a consensus document of the European Society of Cardiology Working Group on Thrombosis, endorsed by the European Heart Rhythm Association (EHRA) and the European Association of Percutaneous Cardiovascular Interventions (EAPCI). *Eur Heart J*, 2010, 31, s. 1311–1318.
- 27 Dans, A. L. – Connolly, S. J. – Brückmann, M., et al.: Concomitant use of antiplatelet therapy with dabigatran or warfarin. (A subanalysis from RE-LY). [www.escardio.org/.../esc.../709-5-RE-LY.aspx](http://www.escardio.org/.../esc.../709-5-RE-LY.aspx) Archiv.
- 28 Dentali, F. – Riva, N. – Crowther, A., et al.: Efficacy and safety of the novel oral anticoagulants in atrial fibrillation. A systematic review and meta-analysis of the literature. *Circulation*, 2012, 126, s. 2381–2391.
- 29 Heidebuchel, H. – Verhamme, P. – Alings, M., et al.: European Heart Rhythm Association Practical Guide on the use of new oral anticoagulation in patients with non-valvular atrial fibrillation. *Europace*, 2013, 15, s. 625–651.
- 30 Lefflerová, K.: Prevence trombotických příhod u fibrilace síní. *Postgraduální medicína*, 2013, 15, s. 21–29.

## Diabetes mellitus 2. typu: současné možnosti léčby

prof. MUDr. Martin Haluzík, DrSc. | MUDr. Pavel Trachta III. interní klinika 1. LF UK a VFN, Praha

- Bouček, P.: *Diabetická nefropatie*. Praha, Maxdorf, 2011.
- Češka, R., et al.: *Interna*. Praha, Triton, 2010.
- Doporučení pro diagnostiku a léčbu dyslipidemií v dospělosti. Dostupné z: [www.athero.cz](http://www.athero.cz).
- Česká diabetologická společnost: *Doporučený postup péče o diabetes mellitus 2. typu – aktualizace 2012*. Dostupné z: [www.diab.cz](http://www.diab.cz).
- Haluzík, M., et al.: *Praktická léčba diabetu*. Praha, Mladá fronta, 2009.
- Haluzík, M. – Svačina, Š.: *Inkretinová léčba diabetu*. Praha, Mladá fronta, 2010.
- Fried, M., et al.: *Bariatrická a metabolická chirurgie*. Praha, Mladá fronta, 2011.
- Kasalický, M., et al.: *Chirurgická léčba obezity*. Praha, Ottova tiskárna, 2011.
- Kvapil, M., et al.: *Diabetologie 2011*. Praha, Triton, 2011.
- Pelikánová, T. – Bartoš, V., et al.: *Praktická diabetologie*. Praha, Maxdorf, 2011.
- Perušičová, J., et al.: *Diabetes mellitus 2. typu*. Praha, Geum, 2011.
- Rybka, J.: *Diabetes mellitus – komplikace a přidružená onemocnění. Diagnostické a léčebné postupy*. Praha, Grada, 2007.
- Svačina, Š., et al.: *Metabolický syndrom*. Praha, Triton, 2006.
- Svačina, Š., et al.: *Poruchy metabolismu a výživy*. Praha, Galén, 2010.
- Škrha, J., et al.: *Diabetologie*. Praha, Galén, 2009.

## Syndrom diabetické nohy

MUDr. Pavlína Piňhová | prof. MUDr. Milan Kvapil, CSc. Interní klinika 2. LF UK a FN v Motole

- Akker, D. J.: Hyperbaric oxygen therapy and the diabetic foot. *Diab Metab Res Rev*, 2000, 16, dopl. 1, s. 55–58.
- Edmonds, M. – Bates, M. – Oxford, M., et al.: New treatments in ulcer healing and wound infection. *Diab Metab Res Rev*, 2000, 16, dopl. 1, s. 51–55.
- Edmonds, M. E.: Zásady diagnostiky a léčby jednotlivých stadií syndromu diabetické nohy. In: Tošenovský, P. – Edmonds, M. E., et al.: *Moderní léčba syndromu diabetické nohy*. Praha, Galén, 2004, s. 29–59.
- Dubský, M. – Jirkovská, A. – Bem, R., et al.: Both autologous bone marrow mononuclear cell and peripheral blood progenitor cell therapies similarly improve ischaemia in patients with diabetic foot in comparison with control treatment. *Diabetes Metab Res Rev*, 2013, 29, 5, s. 369–376, doi: 10.1002/dmrr.2399.
- Mezinárodní pracovní skupina pro syndrom diabetické nohy. *Syndrom diabetické nohy*, 2011.
- Piňhová, P. – Pátková, H. – Galandáková, I. – Doležalová, L. – Kvapil, M.: Vliv etiologie syndromu diabetické nohy na lokalizaci defektů. *Vnitř Lék*, 2007, 53, 12, s. 1278–1283.
- Rušavý, Z., et al.: *Diabetická noha. Diagnostika a terapie v praxi*. Praha, Galén, 1998.
- Schie, C. H. M.: A review of the biomechanics of the diabetic foot. *The International Journal of Lower Extremity Wounds*, 2005, 4, 3, s. 160–170.
- Sinclair, A. – Finucane, P.: *Diabetes in old age*. Chichester, U. K., John Wiley & Sons, 2001.
- Sumpio, B. E. – Schroeder, S. M. – Blume, P. A.: Etiology and management of foot ulcerations. In: Lee, B. Y.: *The wound management manual*. McGraw-Hill Companies, USA, 2005.
- Cerovský, V. – Zdárek, J. – Fucík, V. – Monincová, L. – Voburka, Z. – Bém, R.: Lucifensin, the long-sought antimicrobial factor of medicinal maggots of the blowfly *Lucilia sericata*. *Cell Mol Life Sci*, 2010, 67, 3, s. 455–466, doi: 10.1007/s00018-009-0194-0, Epub 18. 11. 2009.

## Sledování štítné žlázy u těhotných žen

doc. MUDr. Zdenka Límanová, CSc.

III. interní klinika – klinika endokrinologie a metabolismu 1. LF UK a VFN Praha

- Seznam, který uvedla ke svému článku MUDr. Špitálníková, doplňují především o nedávné publikace českých autorů.
- Límanová, Z. – Springer, D.: Thyreopathy examination during pregnancy—results of pilot project. *Cas Lek Cesk*, 2011, 150 (7), s. 389–393.
  - Skřivánek, A. – Lubušský, M. – Studnička, M. – Holusková, I. – Procházka, M.: Epidemiologie a management poruch štítné žlázy v těhotenství. *Česká gynekologie*, 2013, 78, 1, s. 62–67.
  - Skřivánek, A. – Lubušský, M. – Studnička, M. – Holusková, I. – Procházka, M.: Poruchy funkce štítné žlázy v těhotenství. *Česká gynekologie*, 2013, 78, 1, s. 99–106.
  - Šarapatková, H. – Šarapatka, J. – Fryšak, Z.: What is the benefit of screening for thyroid function in pregnant women in the detection of newly diagnosed thyropaties. *Biomedical Papers*, 2013, v tisku.
  - Jiskra, J. – Límanová, Z.: Screening tyreopatií v těhotenství, *Praktická*

- gynekologie 2013, 17,1, 61–68.
- 6 Springer, D. – Potlukova, E. – Limanova, Z. – Zima, T.: Recommendations on prenatal screening and the connections to other diseases such as thyroid dysfunction. *Clin Chem Lab Med*, 2012, 50 (7), s. 1211–1220.
  - 7 Morreale de Escobar, G. – Obregon, M. J. – Escobar del Rey, F.: Role of thyroid hormone during early brain development. *Europ J Endocrinol*, 2004, 151, s. 25–37.
  - 8 Thangaratinam, S. – Tan, A. – Knox, E. – Kilby, M. D. – Franklyn, J. – Coomarasamy, A.: Association between thyroid autoantibodies and miscarriage and preterm birth: metaanalysis of evidence. *Brit Med J*, 2011, 342, d2616.
  - 9 Potlukova, E. – Jiskra, J. – Telicka, Z. – Bartakova, J. – Springer, D. – Limanova, Z.: Postpartum follow-up of women positively screened for thyroid disease in pregnancy: the necessity of a better care. Poster 436. Prezentováno na: 13<sup>th</sup> European Congress of Endocrinology, 30. 4. – 4. 5. 2011, Rotterdam, Nizozemsko.
  - 10 Telicka, Z. – Jiskra, J. – Springer, D.: Simple method of economical analysis of diagnosis procedure (used in screening of thyroid gland diseases in pregnant women) during the first trimester of pregnancy. *European Journal for Biomedical Informatics*, Praha, 2010; dostupné z: <http://ejbi.cz/articles/201012/59/1.html>, vyhledáno 5. 6. 2013.
  - 11 Dosiou, Ch. – Barnes, J. – Schwarz, A., et al.: Cost-effectiveness of universal and risk-based screening for autoimmune thyroid disease in pregnant women. *J Clin Endocrinol Metab*, 2012, 97, s. 1536–1546.

## Novinky ve farmakoterapii bolesti

MUDr. Jan Lejčko Centrum léčby bolesti, ARK, FN Plzeň

- 1 Buckalew, N. – Hairt, M. W. – Morrow, L., et al.: Chronic pain is associated with brain volume loss in older adults, preliminary evidence. *Pain*, 2008, 9, s. 240–248.
- 2 Christrup, L. L. – Foster, D. – Popper, L. D., et al.: Pharmacokinetics, efficacy and tolerability of fentanyl following intranasal versus intravenous administration in adults undergoing third-molar extraction: A randomised, double-blind, double dummy, two-way, crossover study. *Clin Ther*, 2008, 30, s. 469–481.
- 3 Sandner-Kiesling, A., et al.: Long-term efficacy and safety of combined prolonged-release oxycodone and naloxone in the management of non-cancer chronic pain. *Int J Clin Pract*, 2010, 64, s. 763–774.
- 4 Tsou, K. – Lowitz, K. A. – Hochmann, A. G., et al.: Suppression of noxious stimulus-evoked expression of fos protein-like immunoreactivity in rat spinal cord by a selective cannabinoid agonist. *Neuroscience*, 1996, 70, s. 791–798.
- 5 Carr, D. B., et al.: Safety and efficacy of intranasal ketamin in a mixed chronic pain population. *Pain*, 2004, 110, s. 762–764.
- 6 Afilalo, M., et al.: Efficacy and safety of tapentadol extended release with oxycodone controlled release for the management of moderate to severe chronic pain related to osteoarthritis of the knee. *Clin Drug Invest*, 2010, 30, s. 489–505.
- 7 Wallace, M. S., et al.: Intrathecal ziconotide in the treatment of chronic nonmalignant pain: A randomized, double-blind, placebo-controlled clinical trial. *Neuromodulation*, 2006, 9, s. 75–86.
- 8 Polyanalgesic Consensus Conference 2012. *Neuromodulation*, 2012, 15, s. 436–466.
- 9 Lejčko, J.: Léčba periferní neuropatické bolesti. *Klin Farmakol Farm*, 2011, 25, s. 85–86.

## Tapentadol

MUDr. Jiří Slíva, Ph.D. Ústavy farmakologie 2. a 3. LF UK, Praha

- 1 Tzschentke, T. M. – Folgering, J. H. – Flik, G. – De, V. J.: Tapentadol increases levels of noradrenaline in the rat spinal cord as measured by in vivo microdialysis. *Neurosci Lett*, 2012, 507, s. 151–155.
- 2 Slíva, J. – Votava, M.: *Farmakologie. Lékařské repertorium*. Praha, Triton, 2011.
- 3 Buynak, R. – Shapiro, D. Y. – Okamoto, A., et al.: Efficacy and safety of tapentadol extended release for the management of chronic low back pain: results of a prospective, randomized, double-blind, placebo- and active-controlled Phase III study. *Expert Opin Pharmacother*, 2010, 11, s. 1787–1804.
- 4 Wild, J. E. – Grond, S. – Kuperwasser, B., et al.: Long-term safety and tolerability of tapentadol extended release for the management of chronic low back pain or osteoarthritis pain. *Pain Pract*, 2010, 10, s. 416–427.
- 5 Steigerwald, I. – Muller, M. – Kujawa, J. – Balblanc, J. C. – Calvo-Alen, J.: Effectiveness and safety of tapentadol prolonged release with tapentadol immediate release on-demand for the management of severe, chronic osteoarthritis-related knee pain: results of an open-label, phase 3b study. *J Pain Res*, 2012, 5, s. 121–138.
- 6 Schwartz, S. – Etropolski, M. – Shapiro, D. Y., et al.: Safety and efficacy of tapentadol ER in patients with painful diabetic peripheral neuropathy: results of a randomized-withdrawal, placebo-controlled trial. *Curr Med Res Opin*, 2011, 27, s. 151–162.
- 7 Mercadante, S. – Porzio, G. – Ferrera, P., et al.: Tapentadol in cancer pain management: a prospective open-label study. *Curr Med Res Opin*, 2012, 28, s. 1753.
- 8 Obradovic, M. – Ikenberg, R. – Hertel, N. – Antonanzas, F. – Galvez, R. – Liedgens, H.: Cost-effectiveness of tapentadol in severe chronic pain in Spain: a cost analysis of data from RCTs. *Clin Ther*, 2012, 34, s. 926–943.
- 9 Ikenberg, R. – Hertel, N. – Moore, R. A., et al.: Cost-effectiveness of tapentadol prolonged release compared with oxycodone controlled release in the UK in patients with severe non-malignant chronic pain who failed 1st line treatment with morphine. *J Med Econ*, 2012, 15, s. 724–736.

# Novinky v léčbě chronické hepatitidy C

prof. MUDr. Petr Husa, CSc.

Klinika infekčních chorob Lékařské fakulty Masarykovy univerzity a FN Brno

- 1 Poordad, F. – McCone, J. jr. – Bacon, B. R., et al.: for SPRINT-2 Investigators. Boceprevir for untreated chronic HCV genotype 1 infection. *N Engl J Med*, 2011, 364, s. 1195–1206.
- 2 Bacon, B. R. – Gordon, S. C. – Lawitz, E., et al. for HCV RESPOND-2 Investigators: Boceprevir for previously treated chronic HCV genotype 1 infection. *N Engl J Med*, 2011, 364, s. 1207–1217.
- 3 Jacobson, I. M. – McHutchinson, J. G. – Dusheiko, G., et al. for ADVANCE Study Team: Telaprevir for previously untreated chronic hepatitis C virus infection. *N Engl J Med*, 2011, 364, s. 2405–2416.
- 4 Sherman, K. E. – Flamm, S. L. – Afdhal, N. H., et al.: Telaprevir in combination with peginterferon alfa 2a and ribavirin for 24 or 48 weeks in treatment-naive genotype 1 HCV patients who achieved an extended rapid virological response: final results of Phase 3 ILLUMINATE study. *Hepatology*, 2010, 52, s. 401A–402A.
- 5 Zeuzem, S. – Andreone, P. – Pol, S., et al.: Telaprevir for retreatment of HCV infection. *N Engl J Med*, 2011, 364, s. 2417–2428.
- 6 Urbánek, P. – Husa, P. – Galský, J., et al.: Standardní diagnostický a terapeutický postup u chronické infekce virem hepatitidy C (HCV). *Gastroent Hepatol*, 2012, 66, s. 214–229.
- 7 Lange, C. M. – Zeuzem, S.: Perspectives and challenges of interferon-free therapy for chronic hepatitis C. *J Hepatol*, 2013, 58, s. 583–592.
- 8 Lawitz, E. – Mangia, A. – Wyles, D., et al.: Sofosbuvir for previously untreated chronic hepatitis C infection. *N Engl J Med*, 2013, 368, s. 1878–1887.
- 9 Jacobson, I. M. – Gordon, S. C. – Kowdley, K. V., et al.: Sofosbuvir for hepatitis C genotype 2 or 3 in patients without treatment options. *N Engl J Med*, 2013, 368, s. 1867–1877.
- 10 Suzuki, Y. – Ikeda, K. – Suzuki, F., et al.: Dual oral therapy with daclatasvir and asunaprevir for patients with HCV genotype 1b infection and limited treatment options. *J Hepatol*, 2013, 58, s. 643–645.
- 11 Poordad, F. – Lawitz, E. – Kowdley, K. V., et al.: Exploratory study of oral combination antiviral therapy for hepatitis C. *N Engl J Med*, 2013, 368, s. 45–53.

## Příprava nemocných k chirurgickým výkonům, předcházení a léčba krváčení

prof. MUDr. Miroslav Penka, CSc. Oddělení klinické hematologie FN Brno

- 1 Wattel, A. – Jude, B. – Caron, C. – Vandeputte, H. – Gaeremynck, E. – Cosson, A.: Successes and failures of the activated partial thromboplastin time in the preoperative evaluation. *Ann Fr Anesth Reanim*, 1986, 5/1, s. 35–39.
- 2 Samková, A. – Dulíček, P. – Pařízková, E. – Vokurka, J.: Je nutné vyšetření koagulace před adenoidektomií a tonzilektomií? *Transfuzie a hematologie dnes*, 2011, 1.
- 3 Whitten, Ch. W. – Greilich, P. E.: Thromboelastography: past, present, and future. *Anesthesiology*, 2000, 92 (5), s. 1226.
- 4 Penka, M. – Blatný, J. – Matýšková, M. – Smejkal, P. – Tesařová, E.: Hemofilie z pohledu vývoje zajištění péče o nemocné. *Vnitřní lékařství*, 2009, 55 (dopl. 1), s. 48–51.
- 5 Sauaia, A. – Morre, F. A. – Moore, E. E., et al.: Epidemiology of trauma deaths. A reassessment. *J Trauma*, 1995, 38, s. 185–193.
- 6 Spahi, D. R. – Rossaint, R.: Coagulopathy and blood component transfusion in trauma. Review article. *Br J Anaesth*, 2005, 95, s. 130–139.
- 7 Stewart, R. M. – Myers, J. G. – Dent, D. L., et al.: Seven hundred and fifty-three consecutive deaths in a level 1 trauma center: the argument for injury prevention. *J Trauma*, 2003, 54, s. 66–71.
- 8 Isaak, E.: Masive transfusion in trauma. *Blood Bulletin*, 2008, 9/2, s. 1–2.
- 9 Weiss, R. F.: Hemostatic defects in masive transfusion: Rapid diagnosis and management. *Am J Crit Care*, 2000, 9, s. 158–165.
- 10 Slichter, S. J.: Identification and management of defects in platelet hemostasis in massively transfuse patients. In: Collins, J. A. – Murawski, K. – Shafer, A. W. (eds.): *Masive transfusions in surgery and trauma*. New York, NT, Liss, 1982, s. 225–258.
- 11 Leslie, S. D. – Toy, P. T.: Laboratory hemostatic abnormalities in massively transfuse patients given red blood cells and crystalloid. *Am J Clin Pathol*, 1991, 96, s. 770–773.
- 12 Claridge, J. A. – Sawyer, R. G. – Schulman, A. M., et al.: Blood transfusions correlate with infection in trauma patients in a dose dependent manner. *Am Surg*, 2002, 68, s. 566–572.
- 13 Moore, F. A. – Moore, E. E. – Sauaia, A.: Blood transfusion. An independent risk factor for postinjury multiple organ failure. *Arch Surg*, 1997, 132, s. 620–624.
- 14 Frank, S. – Beattie, C. – Christopherson, R., et al.: Unintentional hypothermia is associated with post operative myocardial ischemia. *Anesthesiology*, 1993, 78, s. 468–472.
- 15 Britt, L. – Dascombe, W. – Rodriguez, A.: New horizons in management of hypothermia and frostbite injury. *Surg Clin North Am*, 1991, 71, s. 345–370.
- 16 Dirkmann, D. – Hanke, A. A. – Görlinger, K. – Peters, J.: Hypothermia and acidosis synergistically impair coagulation in human whole blood. *Anesth & Analg*, 2008, 106, s. 1627–1632.
- 17 MacLeod, J. – Lyy, M. – McKenney, M. G. – Jeroukhimov, I. – John, S. M.: Predictors of mortality in trauma patients. *Am Surg*, 2004, 70, s. 805–810.
- 18 Mannick, J. A., et al.: The immunology response to injury. *J Am Col Surg*, 2001, 193, s. 237–244.
- 19 Spahn, D. R. – Rossaint, R.: Coagulopathy and blood component transfusion in trauma. *BJA*, 2005, 95 (2), s. 130–139.
- 20 Hirshberg, A. – Dugas, M. – Banez, E., et al.: Minimizing dilutional coagulopathy in exsanguinating hemorrhage: a computer simulation. *J Trauma*, 2003, 54, s. 454–463.
- 21 **Practice guidelines for blood component therapy**: a report by the American Society of Anaesthesiologists Task Force on Blood Component Therapy. *Anesthesiology*, 1996, 84, s. 732–747.
- 22 Contreras, M.: Consensus conference on platelet transfusion. Final Statement. *Blood Rev*, 1998, 12, s. 239–273.
- 23 Dutton, R. P. – Hess, J. R.: Scalea recombinant factor VIIa for control of hemorrhage: early experiences in critically ill trauma patients. *J Clin Anesth*, 2003, 3, s. 324–330.
- 24 Boffard, K. – Warren, B. – Lau, P., et al.: Decreased transfusion utilization and improved outcome associated with the use of recombinant factor VIIa as an adjunct in trauma. *J Trauma – Injury Infection and Critical Care*, 2004, 57, s. 451.
- 25 Černý, V., et al.: Zásady podpory koagulace u život ohrožujícího a neztížitelného krváčení. *Anesteziologie a intenzivní medicína*, 2005, 16, s. 314–315.

- 26 **Guyatt, G. H. – Gutterman, D. D. – Schünemann, H. J.** for the ACCP Antithrombotic Therapy and Prevention of Thrombosis Panel. Anti-thrombotic therapy and prevention of thrombosis. 9<sup>th</sup> ED:ACCP Guidelines. *Chest*, 2012, 141 (2) (dopl.) s. 75–475.
- 27 **Haverkamp, D. – Hutten, B. A. – Büller, H. R. – Gallus, A. S. – Leasing, W. A. – Prins, M. H.:** The use of specific antidotes as a response

to bleeding complications during anticoagulant therapy for venous thromboembolism. *Journal of Thrombosis and Haemostasis*, 2003, 1, s. 69–73.

- 28 **Crowther, M. A. – Warkentin, T. E.:** Bleeding risk and management of bleeding complications in patients undergoing anticoagulant therapy: focus on new anticoagulant agents. *Blood*, 2008, 111, s. 4871–4879.

## Konzervativní a chirurgická léčba Crohnovy nemoci

MUDr. Zuzana Šerclová Chirurgická klinika 2. LF UK a ÚVN

Ústřední vojenské nemocnice – Vojenské fakultní nemocnice Praha

- 1 **Randall, C. – Vizuete, J. – Wendorf, G. – Ayyar, B. – Konstantine, G.:** Current and emerging strategies in the management of Crohn's disease. *Best Pract Res Clin Gastroenterol*, 2012, 26, 5, s. 601–610.
- 2 **Taxonera, C. – Schwarz, D. A. – García-Olmo, D.:** Emerging treatments for complex perianal fistula in Crohn's disease. *World J Gastroenterol*, 2009, 14, 15, 34, s. 4263–4272. Review.
- 3 **Colombel, J. F. – Louis, E. – Peyrin-Biroulet, L. – Sandborn, W. J. – Panaccione, R.:** Deep remission: a new concept? *Dig Dis*, 2012, 30, dopl. 3, s. 107–111, doi: 10.1159/000342732, Epub 3. 1. 2013. Review.
- 4 **Zallot, C. – Peyrin-Biroulet, L.:** Clinical risk factors for complicated disease: how reliable are they? *Dig Dis*, 2012, 30, dopl. 3, s. 67–72, doi: 10.1159/000342608, Epub 3. 1. 2013. Review.
- 5 **Katz, J. A.:** Management of inflammatory bowel disease in adults. *J Dig Dis*, 2007, 8, 2, s. 65–71. Review.
- 6 **Löwenberg, M. – D'Haens, G.:** Novel targets for inflammatory bowel disease therapeutics. *Curr Gastroenterol Rep*, 2013, 15, 2, s. 311, doi: 10.1007/s11894-012-0311-3. Review.
- 7 **Burger, D. – Travis, S.:** Conventional medical management of inflammatory bowel disease. *Gastroenterology*, 2011, 140, 6, s. 1827–1837.e2, doi: 10.1053/j.gastro.2011.02.045. Review.
- 8 **Dignass, A. – Van Assche, G. – Lindsay, J. O. – Lémann, M. – Söderholm, J. – Colombel, J. F. – Danese, S. – D'Hoore, A. – Gassull, M. – Gomollón, F. – Hommes, D. W. – Michetti, P. – O'Morain, C. – Öresland, T. – Windsor, A. – Stange, E. F. – Travis, S. P. L.** for the European Crohn's and Colitis Organisation (ECCO): The second European evidence-based Consensus on the diagnosis and management of Crohn's disease: Current management. *Journal of Crohn's and Colitis*, 2010, 4, 1, s. 28–62, doi: 10.1016/j.crohns.2009.12.002.
- 9 **Nielsen, O. H. – Bjerrum, J. T. – Seidelin, J. B. – Nyberg, C. – Ainsworth, M.:** Biological treatment of Crohn's disease. *Dig Dis*, 2012, 30, dopl. 3, s. 121–133, doi: 10.1159/000342738.
- 10 **Lal, S. – Steinhart, A. H.:** Antibiotic therapy for Crohn's disease: a review. *Can J Gastroenterol*, 2006, 20, 10, s. 651–655. Review.
- 11 **Alhagahmad, M. H. – Day, A. S. – Lemberg, D. A. – Leach, S. T.:** An update of the role of nutritional therapy in the management of Crohn's disease. *J Gastroenterol*, 2012, 47, 8, s. 872–882, doi: 10.1007/s00535-012-0617-9, Epub 15. 6. 2012. Review.
- 12 **G. Van Assche, A. – Dignass, W.:** Reinisch at all. The second European evidence-based Consensus on the diagnosis and management of Crohn's disease: Special situations. *Journal of Crohn's and Colitis*, 2010, 4, 1, s. 63–101.
- 13 **Strong, S. A. – Koltun, W. A. – Hyman, N. H. – Buie, W. D.:** Standards Practice Task Force of The American Society of Colon and Rectal Surgeons. Practice parameters for the surgical management of Crohn's disease. *Dis Colon Rectum*, 2007, 50, 11, s. 1735–1746.
- 14 **Whiteford, M. H. – Kilkenny, J. 3rd. – Hyman, N. – Buie, W. D. – Cohen, J. – Orsay, C. – Dunn, G. – Perry, W. B. – Ellis, C. N. – Rakinic, J. – Gregorczyk, S. – Shellito, P. – Nelson, R. – Tjandra, J. J. – Newstead, G.:** Standards Practice Task Force; American Society of Colon and Rectal Surgeons. Practice parameters for the treatment of perianal abscess and fistula-in-ano (revised). *Dis Colon Rectum*, 2005, 48, 7, s. 1337–1342, PubMed PMID: 15933794.
- 15 **Shaffer, V. O. – Wexner, S. D.:** Surgical management of Crohn's disease. *Langenbecks Arch Surg*, 2013, 398, 1, s. 13–27, doi: 10.1007/s00423-012-0919-7, Epub 21. 2. 2012. Review.

## Novinky v diagnostice a léčbě potravinových alergií

MUDr. Martin Fuchs Immunoflow, s. r. o., Praha

- 1 **Boyce, J. A. – Assa'ad, A. – Burks, A. W., et al.:** Guidelines for the diagnosis and management of food allergy in the United States: summary of the NIAID-sponsored expert panel report. *Nutrition*, 2011, 27, s. 253–267.
- 2 **Calvani, M. – Miceli Sopo, S. – Giorgio, V.:** Oral immunotherapy in food allergy: how difficult to weigh its risks and benefits? *J Allergy Clin Immunol*, 2011, 128, s. 250–251.
- 3 **Fiocchi, A. – Schünemann, H. J. – Brozek, J., et al.:** Diagnosis and Rationale for Action Against Cow's Milk Allergy (DRACMA): a summary report. *J Allergy Clin Immunol*, 2010, 126, s. 1119–1128.
- 4 **Fischer, H. R. – duToit, G. – Lack, G.:** Specific oral tolerance induction in food allergic children: is oral desensitisation more effective than allergen avoidance? A meta-analysis of published RCTs. *Arch Dis Child*, doi: 10.1136/adc.2009.172460.
- 5 **Hochwallner, H. – Schulmeister, U. – Swoboda, I., et al.:** Patients suffering from non-IgE-mediated cow's milk protein intolerance cannot be diagnosed based on IgG subclass or IgA responses to milk allergens. *Allergy*, 2011, 66, s. 1201–1207.
- 6 **Kneepkens, F. – Meijer, Y.:** Clinical practice. Diagnosis and treatment of cow's milk allergy. *Eur J Pediatr*, 2009, 168, s. 891–896.
- 7 **Leiberman, J. A. – Sicherer, S. H.:** Diagnosis of food allergy: epicutaneous skin tests, in vitro tests, and oral food challenge. *Curr Allergy Asthma Rep*, 2011, 11, s. 58–64.
- 8 **Leung, Y. M. – Sampson, H. A. – Geha, R. – Szeftler, S. J.:** *Pediatric allergy, Principles and Practice*. Expert consult, second edition. Elsevier Saunders, 2010.
- 9 **Nowak-Wegrzyn, A.:** New perspectives for use of native and engineered recombinant food proteins in treatment of food allergy. *Immunol Allergy Clin North Am*, 2007, 27, s. 105–127.
- 10 **Sicherer, S. H. – Sampson, H. A.:** Food allergy. *J Allergy Clin Immunol*, 2010, 125, s. 116–125.
- 11 **Skripak, J. M. – Sampson, H. A.:** Towards a cure for food allergy. *Curr Opin Immunol*, 2008, 20, s. 690–696.

- 12 **Valenta, R., et al.:** Recombinant allergens: what does the future hold? *J Allergy Clin Immunol*, 2011, 127, s. 60–64.
- 13 **Wang, J.:** Management of the patient with multiple food allergies. *Curr*

- Allergy Asthma Rep*, 2010, 10, s. 271–277.
- 14 <http://www.allergome.com>, vyhledáno 3. 2. 2013.
- 15 <http://www.pfam.sanger.ac.uk/>, vyhledáno 3. 2. 2013.

## Myokarditidy

MUDr. Mária Holická | prof. MUDr. Jindřich Špinar, CSc.

Interní kardiologická klinika Lékařské fakulty MU a FN Brno

- 1 **Gravanis, M. – Sternby, N.:** Incidence of myocarditis: a 10year autopsy study from Malmö, Sweden. *Arch Pathol Lab Med*, 1991, 115, s. 390–392.
- 2 **Mason, J. W. – O’Connell, J. B. – Herskowitz, A., et al.:** A clinical trial or immunosuppressive therapy for myocarditis. *N Engl J Med*, 1995, 333, s. 269–275.
- 3 **Taylor, D. O. – Mason, J. W. – Parmeley, W. W.:** Myocarditis. *Cardiology*. Philadelphia, Lippincott-aven, 1995, s. 1–26.
- 4 **Herskowitz, A. – Campbell, S. – Deckers, J., et al.:** Demographic features and prevalence of idiopathic myocarditis in patients undergoing endomyocardial biopsy. *AM J Cardiol*, 1993, 71, s. 982–986.
- 5 **D’Ambrosio, A. – Pantti, G. – Manzoli, A., et al.:** The fate of acute myocarditis between spontaneous improvement and evolution to dilated cardiomyopathy: a review. *Heart*, 2001, 85, s. 499–504.
- 6 **Freimuth, P. – Philipson, L. – Carson, S. D.:** The coxsackievirus and adenovirus receptor. *Curr Top Microbiol Immunol*, 2008, 323, s. 67–87.
- 7 **Shi, Y. – Chen, C. – Lisewski, U., et al.:** Cardiac deletion of the Cxsackievirus-adenovirus receptor abolishes Cxsackievirus B3 infection and prevents myocarditis in vivo. *J Am Coll Cardiol*, 2009, 53, s.1219–1226.
- 8 **Noutsias, M. – Fechner, H. – Jonge, H., et al.:** Human coxsackieadenovirus receptor is colocalized with integrins alpha(v)beta(3) and alpha(v)beta(5) on the cardiomyocyte sarcolemma and upregulated in dilated cardiomyopathy: implications for cardiotropic viral infections. *Circulation*, 2001, 104, s. 275–280.
- 9 **Maron, B. J. – Ister, J. M. – McKenna, W. J.:** Task Force 3: hypertrophic cardiomyopathy, myocarditis and other myocardial diseases and mitral valve prolapse. *J Am Coll Cardiol*, 1994, 24, s. 845–899.
- 10 **Sein, M. – Banach, R., et al.:** Wertigkeit der kardiakem Magnetresonanztomografie bei akuter Myokarditis. *Dtsch Med Wochenschr*, 2008, 133, s. 87–91.
- 11 **Baccouche, H. – Mahrholdt, H. – Meinhardt, G., et al.:** Diagnostic synergy of non-invasive cardiovascular magnetic resonance and invasive endomyocardial biopsy in troponin-positive patients without coronary artery disease. *Eur Heart J*, 2009, 30, s. 2869–2879.
- 12 **Friedrich, M. G. – Sechtem, U., et al.:** Cardiovascular Magnetic Resonance in Myocarditis White Paper. *J Am Coll Cardiol*, 2009, 53, s. 1475–1487.
- 13 **Kindermann, I. – Barth, C. – Mahfoud, F., et al.:** Update on myocarditis. *J Am Coll Cardiol*, 2012, 59, s. 779–792.
- 14 **Yilmaz, A. – Kindermann, I. – Kindermann, M., et al.:** Komparative evaluation of left and right ventricular endomyocardial biopsy: differences in complication rate and diagnostic performance. *Circulation*, 2010, 122, s. 900–909.
- 15 **Aretz, H. T.:** Myocarditis: the Dallas criteria. *Hum Pathol*, 1987, 18, s. 619–624.
- 16 **Shanes, J. G. – Ghali, J. – Billingham, M. E., et al.:** Interobserver variability in the pathologic interpretation of endomyocardial biopsy results. *Circulation*, 1987, 75, s. 401–405.
- 17 **Mahrholdt, H. – Goedecke, C. – Wagner, A., et al.:** Cardiovascular magnetic resonance assessment of human myocarditis: a comparison to histology and molecular pathology. *Circulation*, 2004, 109, s. 1250–1258.
- 18 **Baughman, K. L.:** Diagnosis of myocarditis: death of Dallas criteria. *Circulation*, 2006, 113, s. 593–595.
- 19 **Liu, P. P. – Mason, J. W.:** Advances in the understanding of myocarditis. *Circulation*, 2001, 104, s. 1076–1082.
- 20 **Schultheiss, H. P.:** Dilated cardiomyopathy—a chronic myocarditis? New aspects on diagnosis and therapy. *Kardio Suppl*, 1993, 82, s. 25–32.
- 21 **Cooper, L. T. – Baughman, K. L. – Feldmann, A. M., et al.:** The role of myocardial biopsy in the management of cardiovascular disease: a scientific statement from the American Heart Association, the American College of cardiology and the European Society of Cardiology. *Circulation*, 2007, 116, s. 2216–2233.
- 22 **Bock, L. T.:** Human Parvovirus B19–Associated Myocarditis. *N Engl J Med*, 2010, 362, s. 1248–1249.
- 23 **Maron, J. W. – Ackerman, M. J. – Nishimura, R. A., et al.:** HCM and other cardiomyopathies, mitral valve prolapse, myocarditis, and Marfan syndrome. *J Am Coll Cardiol*, 2005, 45, s. 1340–1345.
- 24 **Maron, B. J.:** Sudden death in young athletes. *N Engl J Med*, 2003, 349, s. 1064–1075.
- 25 **Cooper, L. T., Jr.:** Myocarditis. *N Engl J Med*, 2009, 360, s. 1526–1538.
- 26 **Mirabel, M. – Luyt, C. E. – Leprince, P., et al.:** Outcomes, long-term quality of life, and psychologic assessment of fulminant myocarditis patients rescued by mechanical circulatory support. *Crit Care Med*, 2011, 39, s. 1029–1035.
- 27 **Rajagopal, S. K. – Almond, C. S. – Laussen, P. C., et al.:** Extracorporeal membrane oxygenation for the support of infants, children, and young adults with acute myocarditis: a review of the Extracorporeal Life Support Organization Registry. *Crit Care Med*, 2010, 38, s. 382–387.
- 28 **Moloney, E. D. – Egan, J. J. – Kelly, P., et al.:** Transplantation for myocarditis: a controversy revisited. *J Heart Lung Transplant*, 2005, 8, s. 1103–1110.
- 29 **Lotrionte, M. – Biondi-Zoccai, G. – Imazio, M., et al.:** International collaborative systematic review of controlled clinical trials on pharmacologic treatments for acute pericarditis and its recurrences. *Am Heart J*, 2010, 160, s. 662–670.
- 30 **Maish, B. – Seferovic, P. M. – Ristic, A. D., et al.:** Task force on the diagnosis and management of pericardial diseases of the European society of cardiology. Guidelines on the diagnosis and management of pericardial diseases executive summary. *Eur Heart J*, 2004, 25, s. 587–610.
- 31 **Maish, B. – Ristic, A. D. – Seferovic, P. M. – Tang, T. S. M.:** *Interventional Pericardiology – Pericardiocentesis, pericardioscopy, pericardial biopsy, balloon pericardiectomy and intrapericardial therapy*. Heidelberg, Springer, 2011.
- 32 **Constanzo-Nordin, M. R., et al.:** A nonsteroid anti-inflammatory drug exacerbates Cxsackie B3 murine myocarditis. *J Am Coll Cardiol*, 1985, 5, s. 1078–1082.
- 33 **Khatib, R. – Reyes, M. P. – Smith, F., et al.:** Enhancement of coxsackievirus B4 virulence by indomethacin. *J Lab Clin Med*, 1990, 116, s. 116–120.
- 34 **McMurray, J. J. – Adamopoulos, S. – Anker, S. D., et al.:** ESC Guidelines for the diagnosis and treatment of acute and chronic heart failure 2012: The task Force for Diagnosis and treatment of Acute and Chronic Heart Failure 2012 of the European Society of Kardiology. Developed in collaboration with the Hearth Failure Association (HFA) of the ESC. *Eur Heart J*, 2012, 33, s. 1340–1345.
- 35 **Podsel, L. M. – Leon, J. S. – Wang, K., et al.:** Captopril prevents experimental autoimmune myocarditis. *J Immunol*, 2003, 171, s. 346–352.



- 36 Reyes, M. P. – Khatib, R. – Khatib, G., et al.: Prolonged captopril therapy in murine viral myocarditis. *J Cardiovasc Pharmacol Ther*, 1998, 3, s. 43–50.
- 37 Bahk, T. J. – Daniels, M. D. – Leon, J. S., et al.: Comparison of angiotensin converting enzyme inhibition and angiotensin II receptor blockade for the prevention of experimental autoimmune myocarditis. *Int J Cardiol*, 2008, 125, s. 85–93.
- 38 Seko, Y.: Effect of the angiotensin II receptor blocker olmesartan on the development of murine acute myocarditis caused by coxsackievirus B3. *Clin Sci (Lond)*, 2006, 110, s. 379–386.
- 39 Rezkalla, S. H. – Raikar, S. – Kloner, R. A.: Treatment of viral myocarditis with focus on captopril. *Am J Cardiol*, 1996, 77, s. 634–637.
- 40 Saegusa, S. – Fei, Y. – Takahashi, T. – Sumino, H., et al.: Oral administration of candesartan improves the survival of mice with viral myocarditis through modification of cardiac adiponectin expression. *Cardiovasc Drug Ther*, 2007, 21, s. 155–160.
- 41 Weber, K. T. – Brilla, C. G.: Pathological hypertrophy and cardiac interstitium. Fibrosis and renin-angiotensin-aldosterone system. *Circulation*, 1991, 83, s. 1849–1865.
- 42 Maisch, B. – Rupp, H.: Myocardial fibrosis: a cardiopathophysiologic Janus head. *Herz*, 2006, 31, s. 260–268.
- 43 Sukumaran, V. – Watanabe, K. – Veeraveedu, P. T., et al.: Beneficial effects of olmesartan, an angiotensin II receptor type 1 antagonist, in rats with dilated cardiomyopathy. *Exp Biol Med (Maywood)*, 2010, 235, s. 1338–1346.
- 44 Podsel, L. M. – Leon, J. S. – Engman, D. M.: Angiotensin converting enzyme inhibitors and angiotensin II receptor antagonists in experimental myocarditis. *Curr Pharm Des*, 2003, 9, s. 723–735.
- 45 Kindermann, I. – Kindermann, M. – Kandolf, R., et al.: Predictors of outcome in patients with suspected myocarditis. *Circulation*, 2008, 118, s. 639–648.
- 46 Rezkalla, S. – Kloner, R. A. – Khatib, G., et al.: Effect of metoprolol in acute coxsackievirus B3 murine myocarditis. *J Am Coll Cardiol*, 1988, 12, s. 412–414.
- 47 Xiao, J. – Shimada, M. – Liu, W., et al.: Antiinflammatory effects of eplerenone on viral myocarditis. *Eur J Heart Fail*, 2009, 11, s. 349–353.
- 48 Matsumori, A. – Igata, H. – Ono, K., et al.: High doses of digitalis increase the myocardial production of proinflammatory cytokines and worsen myocardial injury in viral myocarditis: a possible mechanism of digitalis toxicity. *Jpn Circ J*, 1999, 63, s. 934–940.
- 49 Wang, W. Z. – Matsumori, A. – Yamada, T., et al.: Beneficial effects of amlodipine in a murine model of congestive heart failure induced by viral myocarditis. A possible mechanism through inhibition of nitric oxide production. *Circulation*, 1997, 95, s. 245–251.
- 50 Veeraveedu, P. T. – Watanabe, K. – Ma, M., et al.: Comparative effects of pranidipine with amlodipine in rats with heart failure. *Pharmacology*, 2006, 77, s. 1–10.
- 51 Dickstein, K. – Vardas, P. E. – Auricchio, A., et al.: 2010 Focused update of ESC guidelines on device therapy in heart failure: an update of the 2008 ESC guidelines for the diagnosis and treatment of acute and chronic heart failure and the 2007 ESC guidelines for cardiac and resynchronization therapy. *Eur J Heart Fail*, 2010, 12, s. 1143–1153.
- 52 Semmler, D. – Blank, R. – Rupprecht, H.: Complete AV block in Lyme carditis: an important differential diagnosis. *Clin Res Cardiol*, 2010, 99, s. 519–526.
- 53 Histon, A. – Vogenthaler, N. – Santos-Preciado, J. I.: Cardiac involvement with parasitic infections. *Clin Microbiol Rev*, 2010, 23, s. 324–349.
- 54 Nunes, H. – Freynet, O. – Naggara, N., et al.: Cardiac sarcoidosis. *Semin Respir Crit Care Med*, 2010, 31, s. 428–441.
- 55 Cooper, L. T., Jr.: Giant cell and granulomatous myocarditis. *Heart Fail Clin*, 2005, 1, s. 431–437.
- 56 Cooper, L. T., Jr. – Hare, J. M. – Tazelaar, H. D., et al.: Usefulness of immunosuppression for giant cell myocarditis. *Am J Cardiol*, 2008, 102, s. 1535–1596.
- 57 Kim, J. S. – Judson, M. A. – Donnino, R., et al.: Cardiac sarcoidosis. *Am Heart J*, 2009, 157, s. 9–21.
- 58 Achermann, M., et al.: *Kardiologie*. Praha, Galén, 2004, s. 843–844.
- 59 Drucker, N. A. – Colan, S. D. – Lewis, A. B., et al.: Gamma-globulin treatment of acute myocarditis in the pediatric population. *Circulation*, 1994, 89, s. 252–257.
- 60 McNamara, D. M. – Holubkov, R. – Starling, R. C., et al.: Controlled trial of intravenous immune globulin in recent-onset dilated cardiomyopathy. *Circulation*, 2001, 103, s. 2254–2259.
- 61 Felix, S. B. – Staudt, A. – Landsberger, M., et al.: Removal of cardiodepressant antibodies in dilated cardiomyopathy by immunoadsorption. *J Am Coll Cardiol*, 2002, 39, s. 646–652.
- 62 Doesch, A. O. – Konstandin, M. – Celik, S., et al.: Effects of protein A immunoadsorption in patients with advanced chronic dilated cardiomyopathy. *J Clin Apher*, 2009, 24, s. 141–149.
- 63 Herda, L. R. – Trimpert, C. – Nauke, U., et al.: Effects of immunoadsorption and subsequent immunoglobulin G substitution on cardiopulmonary exercise capacity in patients with dilated cardiomyopathy. *Am Heart J*, 2010, 159, s. 809–816.
- 64 Felix, S. B. – Staudt, A. – Dorffel, W. V., et al.: Hemodynamic effects of immunoadsorption and subsequent immunoglobulin substitution in dilated cardiomyopathy: three-month results from a randomized study. *J Am Coll Cardiol*, 2000, 35, s. 1590–1598.
- 65 Bulut, D. – Scheeler, M. – Wichmann, T., et al.: Effect of protein A immunoadsorption on T cell activation in patients with inflammatory dilated cardiomyopathy. *Clin Res Cardiol*, 2010, 99, s. 633–8.
- 66 Mason, J. W. – O'Connell, J. B. – Herskowitz, A., et al.: A clinical trial of immunosuppressive therapy for myocarditis. The myocarditis treatment trial investigators. *N Engl J Med*, 1995, 333, s. 269–275.
- 67 Frustaci, A. – Russo, M. A. – Chimenti, C.: Randomized study on the efficacy of immunosuppressive therapy in patients with virus-negative cardiomyopathy: the TIMIC study. *Eur Heart J*, 2009, 30, s. 1995–2002.
- 68 Wang, Y. X. – da Cunha, V. – Vincelette, J., et al.: Antiviral and myocyte protective effects of murine interferon-beta and -{alpha}2 in Cox-sackievirus B3-induced myocarditis and epicarditis in Balb/c mice. *Am J Physiol Heart Circ Physiol*, 2007, 293, s. 69–76.
- 69 Kuhl, U. – Pauschinger, M. – Schwimmbeck, P. L., et al.: Interferon-beta treatment eliminates cardiotropic viruses and improves left ventricular function in patients with myocardial persistence of viral genomes and left ventricular dysfunction. *Circulation*, 2003, 107, s. 2793–2798.
- 70 Schultheiss, H. P. – Piper, C. – Sowade, K., et al.: The effect of subcutaneous treatment with interferon-beta-1b over 24 weeks on safety, virus elimination and clinical outcome in patients with chronic viral cardiomyopathy. *Circulation*, 2008, 118, s. 3322.
- 71 Dennert, R. – Crijns, H. J. – Heymans, S.: Acute viral myocarditis. *Eur Heart J*, 2008, 29, s. 2073–2082.
- 72 Kuhl, U. – Schultheiss, H.-P.: Myokarditis: Frühzeitige Biopsie ermöglicht differenzierte regenerative Therapie. *Dtsch Arztebl Int*, 2012, 109, s. 361–368.

# Primární myelofibróza – nové možnosti terapie

MUDr. Libor Červinek | prof. MUDr. Michael Doubek, Ph.D.

Interní hematologická a onkologická klinika LF MU

- 1 **Tefferi, A.:** Myelofibrosis with myeloid metaplasia. *N Engl J Med*, 2000, 342, s. 1255–1265.
- 2 **Vannucchi, A. M.:** Management of myelofibrosis. *Hematology Am Soc Hematol Educ Program*, 2011, 2011, s. 222–230.
- 3 **Mesa, R. A. – Li, C. Y. – Ketterling, R. P. – Schroeder, G. S. – Knudson, R. A. – Tefferi, A.:** Leukemic transformation in myelofibrosis with myeloid metaplasia: a single-institution experience with 91 cases. *Blood*, 2005, 105, s. 973–977.
- 4 **Mesa, R. A. – Niblack, J. – Wadleigh, M., et al.:** The burden of fatigue and quality of life in myeloproliferative disorders (MPDs): an international Internet-based survey of 1179 MPD patients. *Cancer*, 2007, 109, s. 68–76.
- 5 **Cervantes, F. – Dupriez, B. – Pereira, A., et al.:** New prognostic scoring system for primary myelofibrosis based on a study of the International Working Group for Myelofibrosis Research and Treatment. *Blood*, 2009, 113, s. 2895–2901.
- 6 **Kralovics, R. – Passamonti, F. – Buser, A. S., et al.:** A gain-of-function mutation of JAK2 in myeloproliferative disorders. *N Engl J Med*, 2005, 352, s. 1779–1790.
- 7 **Hennessy, B. T. – Thomas, D. A. – Gilda, F. J. – Kantarjian, H. – Verstovsek, S.:** New approaches in the treatment of myelofibrosis. *Cancer*, 2005, 103, s. 32–43.
- 8 **Barbui, T. – Barosi, G. – Birgegard, G., et al.:** Philadelphia-negative classical myeloproliferative neoplasms: critical concepts and management recommendations from European LeukemiaNet. *J Clin Oncol*, 2011, 29, s. 761–770.
- 9 **Löfvenberg, E. – Wahlin, A.:** Management of polycythaemia vera, essential thrombocythaemia and myelofibrosis with hydroxyurea. *Eur J Haematol*, 1988, 41, s. 375–381.
- 10 **Steurer, M. – Gastl, G. – Jedrzejczak, W. W., et al.:** Anagrelide for thrombocytosis in myeloproliferative disorders: a prospective study to assess efficacy and adverse event profile. *Cancer*, 2004, 101, s. 2239–2246.
- 11 **Elliott, M. A. – Chen, M. G. – Silverstein, M. N. – Tefferi, A.:** Splenic irradiation for symptomatic splenomegaly associated with myelofibrosis with myeloid metaplasia. *Br J Haematol*, 1998, 103, s. 505–511.
- 12 **Merup, M. – Kutti, J. – Birgergård, G., et al.:** Negligible clinical effects of thalidomide in patients with myelofibrosis with myeloid metaplasia. *Med Oncol*, 2002, 19, s. 79–86.
- 13 **Verstovsek, S. – Mesa, R. A. – Gotlib, J., et al.:** A double-blind, placebo-controlled trial of ruxolitinib for myelofibrosis. *N Engl J Med*, 2012, 366, s. 799–807.
- 14 **Harrison, C. – Kiladjian, J. J. – Al-Ali, H. K., et al.:** JAK inhibition with ruxolitinib vs best available therapy in myelofibrosis. *N Engl J Med*, 2012, 366, s. 787–798.

## Péče o pacienta závislého na opiátech v primární péči

MUDr. Josef Štolfa Katedra všeobecného lékařství IPVZ,

Výukové pracoviště praktického lékařství 2. LF UK

- 1 **Nešpor, K.:** Prevence návykových látek v rodině. *Prakt lék*, 2012, 92, 6, s. 42–44.
- 2 **Kalina, K. – Miovský, M.:** *Drogy a drogové závislosti*. Úřad vlády ČR, 2003, kapitoly 3/4 a 3/5.
- 3 **Hobstová, J. – Vitouš, A.:** Infekční komplikace uživatelů drog v ČR. *Čas lék čes*, 2007, 2, s. 137–140.
- 4 **Nešpor, K.:** Nové trendy v léčbě a prevenci návykových nemocí. *Čas lék čes*, 2004, 4, s. 231–235.
- 5 **Národní monitorovací středisko pro drogy a drogové závislosti:** *Výroční zpráva o stavu ve věcech drog v ČR v roce 2011*.
- 6 **Mravčík, V. – Nechanská, B. – Šťastná L.:** Ambulantní péče o uživatele a závislé na návykových látkách v ČR ve zdravotnické statistice od roku 1963. *Epidemiologie, mikrobiologie a imunologie*, 2011, 60, 2, s. 64–73.
- 7 **Mravčík, V. – Nečas, V.:** Testování infekčních chorob jako součást prevence a snižování rizika infekcí mezi injekčními uživateli drog v ČR. *Adiktologie*, 2010, 10, 2, s. 84–90.
- 8 **Zábranský, T. – Mravčík, V. – Korčíšová, B. – Řehák, V.:** (2006) Hepatitis C virus infection among injecting drug users in Czech Republic—prevalence and associated factors. *European Addiction Research*, 2010, 12, 3, s. 151–160.
- 9 **Štolfa, J. – Hobstová, J. – Bencko, V.:** Zdravotní komplikace zneužívání návykových látek a možnosti prevence v primární péči. *Prakt lék*, 2009, 89, 6, s. 295–300.